

## VIBURNUMS

<u>NAME</u>	<u>SIZE</u>	<u>HABIT</u>	<u>FLOWER</u>	<u>TIME</u>	<u>Fruit</u>	<u>EVER GREEN</u>	<u>FALL</u>	<u>FRAGRANT</u>	<u>COMMENTS</u>
<b>Viburnum awabuki 'Chindo'</b>	15'-25'x10'-15'	Upright, Rounded. Fast-growing	White	April-May	Lg. pendulous red fruits. Needs cross-pollinator.	Yes	None	Yes	Known for its large, pendulous, red fruit clusters. Probably requires cross pollinator for heavy fruit set. Protect from wind, cold, winter sun. Use as screen or hedge. Drought tolerant once established.
<b>Viburnum bracteatum 'Emerald Lustre'</b>	10' x 8'	Tightly-branched, haystack shape	White, flat-topped cymes borne in profusion	Spring	Purple-blue-black	No	Variable, yellow-bronze	Ill scented	Similar to <i>V. dentatum</i> , but more heat tolerant. Doesn't require cross pollination. Tolerates sun or shade. Drought tolerant.
<b>Viburnum carlesii (Koreanspice)</b> (Sub. For <i>V. x juddii</i> )	45'-8'x4'-8'	Rounded, Up-right Spreading Branches	Pink bud, white, snowball-like, fragrant	March - April	Red (changing to black) egg shaped drupe (Aug. - Sept.) - not effective	No	Red to wine-red	Yes	Valuable for fragrance. Use near high traffic areas & windows. Flowers before <i>V. x carlcephalum</i> . Adaptable to extremes of soil (not wet), sun, and significant shade.
<b>Viburnum carlesii 'Aurora'</b>	4-8'x8'	Rounded	Intensely red bud opens to pink, then white, very fragrant	Late April-May	Blue-black egg shaped drupe	No	Red to wine-red	Yes	Spicily fragrant flowers. Larger inflorescences than species. Copper-tinged new foliage.
<b>Viburnum carlesii 'Cayuga'</b> (sub for <i>V. x carlcephalum</i> )	5' x 6'	Compact, upright	Pink bud, white, slightly fragrant	Late April	Red egg shaped drupe not effective	No	Orange-red	Yes	Compact, upright growth habit. Foliage less susceptible to bacterial leaf spot and powdery mildew than <i>V. carlesii</i> .
<b>Viburnum davidii</b>	3'-5'x-5'	Low Compact Mound	Pink Bud, White	April-May	Metallic-blue - winter persisting. Needs cross-pollinator	Yes	None	No	Dark blue-green foliage turns bronzy red in winter. Use in groupings or as a specimen. Best in cooler climates.
<b>Viburnum dentatum (Arrowwood)</b>	6'-15'x6'-15'	Dense, Rounded, Arching	Creamy white, flat topped	May-Early June	Drupe, steely-blue maturing blue-black	No	Varies, yellow, red, to purple	Ill scented	Lustrous, dark green foliage. Fruit quickly eaten by birds. Likes moist sites. Use in borders, as screen, or in naturalizing. <b>Deer prone.</b> Very adaptable to soil & climate extremes. Useful in difficult sites.
<b>Viburnum dentatum 'Blue Muffin'</b>	5-7' x2- 4'	Compact, rounded	Clusters of white flowers	Spring-Summer	Intense blue	No	Red	No	Perfect for the residential landscape. Makes a good low hedge.
<b>Viburnum dentatum 'Chicago Lustre'</b>	8-10 HW	Upright rounded shrub	Creamy white, flat topped	May-Early June	Drupe, Blue-black	No	Reddish purple	Ill scented	Glossy, dark green foliage.
<b>Viburnum dentatum 'Northern Burgundy'</b>	12' HW	Upright	Creamy white, flat topped	May-Early June	Drupe, Blue-black	No	Blend of burgundy & wine red.	Ill scented	Dark green summer foliage.

## VIBURNUMS

<u>NAME</u>	<u>SIZE</u>	<u>HABIT</u>	<u>FLOWER</u>	<u>TIME</u>	<u>Fruit</u>	<u>EVER GREEN</u>	<u>FALL</u>	<u>FRAGRANT</u>	<u>COMMENTS</u>
<b>Viburnum dilatatum 'Asian Beauty'</b>	10'+ x 6'	Upright, compact	White	May-Early June	Fruit remains a glossy rich cherry-red throughout winter.	No	Inconsistent, russet-red, may range from bronze to burgundy; leaves hold late.	No	Very fast growing. Good fruit production. Holds fruit into the new year. Shiny dark-green foliage. <b>Deer prone.</b>
<b>Viburnum dilatatum 'Cardinal Candy'</b>	5-6' x 3-4'	Well branched, broad-rounded	Lacy creamy white	May-Early June	Glossy scarlet red, fall to spring persistent	No	Inconsistent, russet-red, may range from bronze to burgundy; leaves hold late.	Ill scented	<b>Deer resistant.</b> Glossy foliage. Vigorous growth. Fruits strongly even without another pollinator in the area. Fruit attractive to birds, flowers attract butterflies. Proven hardy to -25 degrees F.
<b>Viburnum dilatatum 'Erie'</b>	6' x 10' @ 14 yrs.	Rounded-mounded	White flowers in 4-6" wide flat-topped cymes	May	Prolific, winter persistent, red fruits. Become coral after frost.	No	Good yellow, orange and red fall color	No	Dark green leaves. Excellent fruit set if cross pollinator is available. Disease & insect resistant. <b>Deer prone.</b>
<b>Viburnum dilatatum 'Michael Dodge'</b>	5' x 6'	Vase-shaped	White	May	Large fruits are bright <b>yellow.</b>	No	Scarlet red	No	Use Cotton Candy as a pollinator. Smaller than other V. dilatatum.
<b>Viburnum farreri (Fragrant Viburnum)</b>	8'-12'x8'-12'	Loose, vase-shaped.	Pink-red bud, pink-white long panicle, fragrant	Early-mid April	Red turning black - not overwhelming	No	Occasionally reddish purple	<b>Yes</b>	Bronzy-green early foliage matures dark green. Flowers often open in fall on a rather sporadic basis. Subject to late spring freezes.
<b>Viburnum japonicum</b>	6'-8'x6'	Dense, Upright	White, fragrant		Red drupe	<b>Yes</b>	None	<b>Yes</b>	Extremely dense habit making it a good screen.
<b>Viburnum lantana</b>	19-15' x 10-15'	Large, rounded, leggy	White with prominent yellow stamens.	Late April - early May	Yellow to red to black, often all present at once.	<b>No</b>	ill-scented	<b>No</b>	Adaptable to sun or partial shade.
<b>Viburnum lantana 'Mohican'</b> (sub. For V. x <i>rhytidophylloides</i> )	10'-15'x10'-15' (7' x 9' in 15 yrs.)	Compact, thick, dense branching	Creamy white, 7-10 days	Early May	Orange red fruit in July, persisting 4 or more weeks - needs cross-pollinator	No	Purplish red	No	Dense, compact, vigorous, globose habit. Tolerates calcareous and dry soils better than other Viburnum. Resistant to bacterial leaf spot. Thick dark green leaves. <b>Deer resistant.</b>

## **VIBURNUMS**

<u>NAME</u>	<u>SIZE</u>	<u>HABIT</u>	<u>FLOWER</u>	<u>TIME</u>	<u>Fruit</u>	<u>EVER GREEN</u>	<u>FALL</u>	<u>FRAGRANT</u>	<u>COMMENTS</u>
<b>Viburnum lentago (Nannyberry)</b>	15-18'+x10'+	Small tree, arching branches. Tall & leggy.	White with prominent yellow stamens.	May	Drupe, green to yellow, rose & pink, then bluish-black	No	Often poor green to purplish	No	Ideal for naturalizing, shrub borders, background, or screen plant. Woodland, woods verge plant. Adaptable to wet or dry soil. Takes shade. Not a specimen. Good winter food for the birds. <b>Deer prone.</b>
<b>Viburnum macrocephalum (Chinese Snowball)</b>	6'-10'x6'-8'	Dense rounded	Apple green when opening then white, sterile hemispherical	May-Early June	None	Semi in south		No	Extremely showy in flower. Tends to flower in the fall during warm weather in the South. Good for larger gardens.
<b>Viburnum nudum 'Earth Shade'</b>	6-10'	Compact	Cream white		Pink to blue	No	Yellow, orange, red		More compact than 'Winterthur'.
<b>Viburnum nudum 'Winterthur'</b>	6'x6' (in 20 yrs.)	Compact, rounded	Creamy white, flat-topped	June - July	An oval berry, white in late summer, turning pink and, finally, blue in fall	No	Good red - purple	No	Grows well in both wet, shaded spots and sunny, well-drained sites. Tolerates wind. Upright habit. Needs cross-pollination with species for good fruiting. <b>Deer prone.</b>
<b>Viburnum opulus (Cranberrybush)</b>	8'-10' x15'	Upright, spreading	White, flat topped, lace-cap type	May	Persistent bright red berry like, Sept-Oct	No	Sometimes reddish, purple - unreliable	No	Use: shrub border, screen, large areas, massing. Showy flowers & good fruit display. Adaptable to moist & wet soils.
<b>Viburnum opulus 'Compactum'</b>	4'-6'x5'-7'	Very dense and compact	White, lacy, flat topped	May	Bright red berry like	No	Often a strong red.	No	Use: masses. Good for limited space. 1/2 size of species. <b>Deer prone.</b>
<b>Viburnum opulus 'Nanum'</b>	18"-24"x2'-3'	Dwarf & compact	<b>None</b>	<b>N/A</b>	None	No	Yellow to reddish-purple	No	Use: filler or facer plant, low hedges. Will not tolerate poor drainage.
<b>Viburnum opulus 'Roseum Sterile' (European Snowball)</b>	10'-12'x8'-10'	Small tree	Apple green to white, very showy	Early May	None	No	Yellow to reddish-purple	No	Extremely showy in flower. Flower effective over extended period. Prone to aphids.
<b>Viburnum plicatum tomentosum 'Lanarth' (Doublefile)</b>	12'-14'X12'-14'	Strong horizontal branching, flat-topped	Large white flowers 2"	May	Bright red drupe	No	Reddish purple	No	Larger flowered than typical Doublefile.
<b>Viburnum plicatum tomentosum 'Mariesii' (Doublefile)</b>	10'x10'	Distinctly horizontal	Large, flat, white flowers 1 3/4"	May	Sparse	No	Reddish purple	No	Flowers held above foliage. Leaves may be lighter green in summer than other types.

## VIBURNUMS

<u>NAME</u>	<u>SIZE</u>	<u>HABIT</u>	<u>FLOWER</u>	<u>TIME</u>	<u>Fruit</u>	<u>EVER GREEN</u>	<u>FALL</u>	<u>FRAGRANT</u>	<u>COMMENTS</u>
<b>Viburnum plicatum tomentosum 'Shasta' (Doublefile)</b>	10' x 10'	Broad horizontally branched	Large White flowers	May	Bright red drupe maturing to black, ripens in July.	No	Reddish purple	No	Strongly, tiered, horizontal branching habit makes this shrub showy in winter as well as summer. <b>Deer resistant.</b>
<b>Viburnum plicatum tomentosum 'Summer Snowflake' (Doublefile)</b>	15'x6'	Open and Upright	White - smaller than the species	April-Nov in south	Bright red drupe	No	Reddish purple	No	Fast growing & narrow. Flowers continually through summer, although blooms are small. <b>Deer prone.</b>
<b>Viburnum plicatum (Japanese Snowball)</b>	8'-10'x9'-12'	Broad rounded, tiered branching	Open green, then white, rounded.	Late April to early May	Bright red drupe	No	Reddish purple	No	Carnation-like snowball flowers. Good for zone 7b, if there is enough root moisture. <b>Deer prone.</b>
<b>Viburnum plicatum 'Popcorn'</b>	8-10' x 8'	Tight, rounded	Small white, rounded	April	Blackish-red	No	Reddish purple	No	The name describes the flowers. Use as hedge or specimen plant. Heat & drought tolerant.
<b>Viburnum plicatum tomentosum (Doublefile)</b>	8'-10'x9'-12'	Rounded with distinct horizontal branching	White flat topped cymes, double file	May	Drupe, bright red turning black in June.	No	Reddish purple	No	Excellent sited against red brick buildings. Use: massing, screen, shrub border, to soften vertical lines. Consistent drought & high heat result in a bedraggled look. Extremely shade tolerant.
<b>Viburnum prunifolium (Blackhaw)</b>	12'-15' x 8'-12'	Round-headed tree or multi-stemmed shrub, stiffly branched. Similar to a Hawthorn.	White, actually creamy due to yellow stamens	May	Drupe, pinkish, rose and at maturity bluish black, bloomy.	No	Variable. Purplish to reddish purple	No	Native. Woodland plant. Full sun to almost full shade. Use: small specimen tree, massing, shrub border, groupings.
<b>Viburnum rhytidophyllum (Leatherleaf)</b>	10'-15'x10'-15'	Upright rounded	Yellowish white, flat topped	Mid-May	Drupe, red turning black, not outstanding	<b>Yes</b>		No	Sun or shade. Use: specimen, massing, background. Leaves droop in winter.
<b>Viburnum tinus 'Compactum'</b>	3'-6'x2'-4'	Very dense and compact	Pink bud, white 2"	February	Metallic blue to black - self-incompatible - needs another clone or seedling	<b>Yes</b>		No	Use: hedging, massing. Withstands considerable shade.
<b>Viburnum tinus 'Spring Bouquet'</b>	5'-6'x5'-6'	Compact rounded	Dark red bud, White	February	See above	<b>Yes</b>		No	Use: hedging, massing. Withstands considerable shade.

## VIBURNUMS

<u>NAME</u>	<u>SIZE</u>	<u>HABIT</u>	<u>FLOWER</u>	<u>TIME</u>	<u>Fruit</u>	<u>EVER GREEN</u>	<u>FALL</u>	<u>FRAGRANT</u>	<u>COMMENTS</u>
<b>Viburnum trilobum (Highbush Cranberry)</b>	10' x 10'	Dense, rounded	White, flat-topped, 3"-4 1/2"	Mid-late May	Persistent bright red, good for jellies	No	Yellow to reddish-purple	No	Similar to V. opulus. Maple-like foliage. Fruit persists into winter.
<b>Viburnum trilobum 'Bailey Compact'</b>	5-6' x 5-6'	Compact, dwarf	White, pinwheel-shaped	Mid-late May	Bright red. Moderate fruit set	No	Deep red to yellow	No	Edible fruit.
<b>Viburnum utile 'Chesapeake'</b>	10'x15'	Compact, mounded	Pink bud, White	Early to mid-April	Dull red to black	Semi	Red to orange	Slightly	Edible fruit. Extremely tolerant of drought. Better suited to southern regions <b>Deer tolerant</b> . Blooms after S. carlecephalum.
<b>Viburnum utile 'Conoy'</b>	5-6' x 6-8'	Spreading, dense	Dark pink buds, white snowball flowers	April	Ovoid drupes, red to black; persist 6-8 weeks.	<b>Yes</b>	Dark Maroon	No	Uses: Specimen, hedge, massing. Small, glossy, leathery leaves create a boxwood-like texture. <b>Deer resistant</b> . Good drought tolerance once established.
<b>Viburnum utile 'Eskimo' (improvement on Chesapeake)</b>	8-10' x 8'	Upright in youth, oval-rounded, dense compact	Cream buds, white snowball - later than Chesapeake & Mohawk	Late April	Drupes, dull red to black	Semi		No	Hardier than Chesapeake w/ bigger, more abundant flowers on young plants. More evergreen than Chesapeake. Can be grown in containers. Flower later than Chesapeake & Mohawk. <b>Deer resistant</b> .
<b>Viburnum x bodnantense 'Dawn'</b>	12' x 8'	Large coarse shrub	Pink, fragrant flowers - undistinguished - fall to spring	February & March	Red in summer then black	No	Burnished bronze	<b>Yes</b>	Winter flowering on bare stems
<b>Viburnum x burkwoodii</b>	8'-10' x 8-10'	Upright, multi-stemmed, open	Pink bud, white, fragrant	7-10 days in late March	Red maturing black, flattened drupe. Not abundant.	Semi in south	Brilliant orange-red	<b>Yes</b>	Use: shrub border. Excellent fragrance. Heat & cold tolerant. Adapts to full sun or shade. Drought tolerant once established.
<b>Viburnum x burkwoodii 'Mohawk'</b>	7'x7'	Compact	Dark red bud, White, Fragrant - later than burkwood	Later April	Black	No	Orange-red to red-purple	<b>Yes</b>	Flowers have a spicy, clove fragrance. Use: Specimen, shrub border.
<b>Viburnum x carlecephalum (Fragrant Viburnum)</b>	6-10' x 6-10'	Open and Loose	Pink bud, white hemispherical	Late April-early May	Red to black drupe, seldom effective	No	Reddish purple	<b>Yes</b>	Largest leaves of the fragrant, semi-snowball group. Latest of the semi-snowball types to flower. <b>Deer resistant</b> .
<b>Viburnum x juddii (sub for V. x carlesii)</b>	6'-8'x6'-8'	Rounded, dense with stiff, upright branches	Pink buds, white, semi-snowball, highly fragrant.	Early April	Black	No	Not significant	<b>Yes</b>	Highly fragrant. Improvement on V. carlesii. Resistant to bacterial leaf spot. Dull blue-green leaves.

## ***VIBURNUMS***

<b><u>NAME</u></b>	<b><u>SIZE</u></b>	<b><u>HABIT</u></b>	<b><u>FLOWER</u></b>	<b><u>TIME</u></b>	<b><u>Fruit</u></b>	<b><u>EVER GREEN</u></b>	<b><u>FALL</u></b>	<b><u>FRAGRANT</u></b>	<b><u>COMMENTS</u></b>
<b>Viburnum x pragense</b>	10'-15'x10'-15'	Upright oval to oval-rounded	Pink bud, creamy-white flat-topped	Mid-April to May	Red to glossy black.	Yes		Slightly	Leaves don't droop in winter. Prune to retain dense form. Extremely fast growing. Extremely hardy.
<b>Viburnum x rhytidophylloides 'Alleghany' (sub for V. lantana )</b>	12'X12	Dense globose growth habit	Abundant yellowish white	May	Brilliant red in Sept. and Oct.	Semi		NO	Provides an abundant display of yellowish white inflorescences above the very dark green foliage.
<b>Viburnum x rhytidophylloides</b>	10'-12'x10'-12'	Arching habit	Creamy white, flat-topped cymes	May & October	Red changing to black	Semi		Ill scented	A second flowering occurs in early autumn. Holds foliage until first severe frost. Needs cross-pollinator. Sun to part shade.